



## Power Cord Specifications

This appendix provides supported power cable specifications.

- [Supported AC Power Cords and Plugs, page 1](#)
- [AC Power Cord Illustrations, page 4](#)

## Supported AC Power Cords and Plugs

Each power supply has a separate power cord. Standard power cords or jumper power cords are available for connection to the server. The jumper power cords, for use in racks, are available as an option alternative to the standard power cords.



### Note

Only the approved power cords or jumper power cords provides with the server are supported.

Table b-1 lists the power cords for the server power supplies.

Description	Length	Power Cord Reference Illustration
SFS-250V-10A-AR Power Cord, 250 VAC 10 A IRAM 2073 Plug Argentina	8.2 ft (2.5 m)	Figure B-1
CAB-9K10A-AU 250 VAC 10 A 3112 Plug, Australia	8.2 ft (2.5 m)	Figure B-2
SFS-250V-10A-CN Power Cord, 250 VAC 10 A GB 2009 Plug China	8.2 ft (2.5 m)	Figure B-3


Description	Length	Power Cord Reference Illustration
CAB-9K10A-EU Power Cord, 250 VAC 10 A M 2511 Plug Europe	8.2 ft (2.5 m)	Figure B-4
SFS-250V-10A-ID Power Cord, 250 VAC 16A EL-208 Plug South Africa, United Arab Emirates, India	8.2 ft (2.5 m)	Figure B-5
SFS-250V-10A-IS Power Cord, 250 VAC 10 A SI32 Plug Israel	8.2 ft (2.5 m)	Figure B-6
CAB-9K10A-IT Power Cord, 250 VAC 10 A CEI 23-16 Plug Italy	8.2 ft (2.5 m)	Figure B-7
CAB-9K10A-SW Power Cord, 250 VAC 10 A MP232 Plug Switzerland	8.2 ft (2.5 m)	Figure B-8
CAB-9K10A-UK Power Cord, 250 VAC 10 A BS1363 Plug (13 A fuse) United Kingdom	8.2 ft (2.5 m)	Figure B-9
CAB-AC-250V/13A Power Cord, 250 VAC 13 A IEC60320 Plug North America	6.6 ft (2.0 m)	Figure B-10
CAB-N5K6A-NA Power Cord, 250 VAC 13 A NEMA 6-15 Plug North America	8.2 ft (2.5 m)	Figure B-11

Description	Length	Power Cord Reference Illustration
CAB-C13-CBN Cabinet Jumper Power Cord, 250 VAC 10 A, C13-C14 Connectors	2.2 ft (0.68 m)	Figure B-13
CAB-C13-C14-2M Cabinet Jumper Power Cord, 250 VAC 10 A, C13-C14 Connectors	6.6 ft (2.0 m)	Figure B14
CAB-C13-C14-AC Cabinet Jumper Power Cord, 250 VAC 10 A, C13-C14 Connectors	9.8 ft (3.0 m)	Figure B-15


## AC Power Cord Illustrations

This section includes the AC power cord illustrations.


**Figure 1: SFS-250V-10A-AR**






**Figure 2: CAB-9K10A-AU**



**Figure 3: SFS-250V-10A-CN**



**Figure 4: CAB-9K10A-EU****Figure 5: SFS-250V-10A-ID****Figure 6: SFS-250V-10A-IS****Figure 7: CAB-9K10A-IT**




Figure 8: CAB-9K10A-SW




Figure 9: CAB-9K10A-UK




Figure 10: CAB-AC-250V/13A




Figure 11: CAB-N5K6A-NA




Figure 12: CAB-C13-CBN, Jumper Power Cord (0.68 m)





Figure 13: CAB-C13-C14-2M, Jumper Power Cord (2 m)



**Figure 14: CAB-C13-C14-AC, Jumper Power Cord (3 m)**

